

A COMMON APPROACH TO DIRECTOIDS WITH AN ANTITONE INVOLUTION AND D -QUASIRINGS

IVAN CHAJDA AND MIROSLAV KOLAŘÍK

Department of Algebra and Geometry
Palacký University Olomouc
Tomkova 40, 779 00 Olomouc, Czech Republic

e-mail: chajda@inf.upol.cz

e-mail: kolarik@inf.upol.cz

Abstract

We introduce the so-called DN -algebra whose axiomatic system is a common axiomatization of directoids with an antitone involution and the so-called D -quasiring. It generalizes the concept of Newman algebras (introduced by H. Dobbertin) for a common axiomatization of Boolean algebras and Boolean rings.

Keywords: directoid, antitone involution, D -quasiring, DN -algebra, α -mutation.

2000 Mathematics Subject Classification: 06A12, 06A06, 06E20.

REFERENCES

- [1] G. Birkhoff, *Lattice Theory*, (3rd edition), Colloq. Publ. 25, Proc. Amer. Math. Soc., Providence, R. I., 1967.
- [2] I. Chajda and M. Kolařík, *Directoids with an antitone involution*, Comment. Math. Univ. Carolinae (CMUC) **48** (2007), 555–567.

This work is supported by the Research and Development Council of the Czech Government via the project MSM6198959214.

- [3] I. Chajda and H. Länger, *A common generalization of ortholattices and Boolean quasirings*, Demonstratio Math. **15** (2007), 769–774.
- [4] H. Dobbertin, *Note on associative Newman algebras*, Algebra Universalis **9** (1979), 396–397.
- [5] D. Dorninger, H. Länger and M. Maćzyński, *The logic induced by a system of homomorphisms and its various algebraic characterizations*, Demonstratio Math. **30** (1997), 215–232.
- [6] J. Ježek and R. Quackenbush, *Directoids: algebraic models of up-directed sets*, Algebra Universalis **27** (1990), 49–69.

Received 18 May 2007
Revised 10 July 2007